

## Go Back

### Vehicle Information

Type	Value
VIN	WDB9702171L484937
Model	815 L, 816 L, 817 L, 818 L, 822 L
Colour	arktikweiß (9147)
Production Date	2010-05-11
Order Nr.	1020800008
Production Nr.	1291311

### Equipment

9147	Arktikweiß
AF1	Axle Ratio I = 3.636 (HL2/4)
AJ7	Front Axle 3.5 T
AL6	Rear Axle H2, 6.2/7.2 T, Crown Wheel 325
B65	Compressed Air Dryer, Heated
BB1	Telligent Braking System With ABS
BB5	Disc Brakes On Front And Rear Axle
BC3	Pressure Control System, 10 Bar
C57	Protective Device, Side
C95	Deletion, Rear Underride Guard (EC)
CD7	Stabiliser, Rear Axle, For Extremely High Loads
CL6	Steering LS 4
CR4	Mounting Parts On Frame/hole Pattern
D25	Roof Hatch/vent, Roof
E21	Battery/batteries, Higher Capacity
E33	Switch, Taillift
E82	Battery Cover
EC7	Trailer Socket, 12 V, 13-pin
EC9	2-way Loudspeaker
ES5	Additional Socket, 12 V/15 A, Firewall
ET1	Voltage Transformer, 24 V/12 V, 8 A
EV6	Provision, 12-V Radio, Retrofit
F07	S Cab
F33	Air Deflectors, Adjustable



F52	Sun Visor, Exterior, Transparent
FC7	Windows, Tinted, Without Sun Filter
FE5	Power Windows For Driver's/co-driver's Door
FN1	Distribution Cockpit
FQ7	Stowage Facility Above Windscreen, 2 Compartments
FS9	Mirror On Driver's Side, Electrically Adjustable
FT8	Cab Entrance, Single-step
FX7	Front Mirror, Aerodynamic
FZ1	Central Locking
FZ7	Immobiliser, With Transponder
GC4	Gearbox G 56-6/6,29-0,78
GS1	Manual Transmission
H03	Air-conditioning System
HF2	Pollen Filter
I18	Reifen 215/75 R 17,5 VA/VLA
IA0	Radformel 4x2
IB4	Baureihe LKN
IC1	Pritschenfahrgestell
ID2	Rear Axle Air Suspension
IL1	Inland (Deutschland)
IL8	Ausführung Linkslenker
IR9	Radstand 4820 Mm
IU2	7,5-Tonner
IX4	Reihenmotor, 4 Zylinder
IY2	Hydraulic Fluid As Per Sheet 345.0
JD3	Tachograph, Dig. EC, Rpm+additional Recorder, ADR
JK3	Inst. Cluster, Graphics-capable Display, Eco-meter
JZ1	Tachograph Manufacturer VDO
K40	Tank-cap Lock
K83	Main Tank, 125 L, Plastic
KD6	Abgasüberwachung Für Stickoxid (NOx)
KE9	On-Board Diagnosis 2, With NOx Check
KG0	Stainless-steel Silencer With SCR Cat. Converter
KJ1	Main Silencer, Right, Side, On Frame
KP1	AdBlue Tank, 25 L
KP9	AdBlue Tank, Plastic

L16	Fog Lamps, Halogen
L32	Tail Light, For Mounted Tail Lift
L72	Electrics, For Non-MB Body
MB1	Exhaust Brake, With Constantly-open Throttle Valve
MD4	Speed Limiter, 90 Km/h, EC
MD9	Cruise Control
MJ6	Engine, Start/stop System
MN6	Engine,4-cyl. In-line,LA,130kW (177hp),2200rpm
MS4	BlueTec 4 (Euro IV)
MS5	BlueTec 5 (Euro V)
QN3	Front Spring, 3.4 T, Parabolic
R04	Wheel Nut Cap
R61	Spare Wheel Carrier, Side
R87	Spare Wheel/spare Wheel Rim
RA6	Tapered Rims, 6.00x17.5, For 215/75 R 17.5
S28	Centre Seat, With Seat Belt
SH1	Driver's Comfort Suspension Seat, Grammer
SH2	Co-driver's Comfort Suspension Seat, Grammer
TE2	Weight Variant 7.49 T (3.4/4.6)
X31	Registration Certificate, Part II, Prepared
X57	Noise Reduction Measures, EC 96/20
XK3	Powertrain Warranty,Gen. Terms/Con.,3 Yrs/250000 Km
XS2	L Information Plate, Night Driving Ban, Austria
XV0	Global Cockpit
XV1	Atego 2
Y10	First-aid Kit
Y34	Tyre Inflating Hose, 10 M
Y44	Warning Triangle
Y45	Warning Lamp
ZH3	Min. Spec., Platform/box-body Vehicles
ZS9	Ausnahmegenehmigung, Zwingend Für Achsüberführung
ZX1	Common Powertrain Controller (CPC)
ZX2	EPB II
ZZ3	Vehicle, For Right-side Traffic

## Accessories

- **Vgate ICar Pro OBD** (<Http://s.click.aliexpress.com/e/bMKjZdgc>)
- **Highest Quality Bluetooth 5.0 Audio Receiver With AptX HD Support** (<Http://s.click.aliexpress.com/e/GFMa01K>)
- **Paint Thickness Meter** (<Http://s.click.aliexpress.com/e/bkuoCB44>)
- **Xenon Replacement Bulbs** (<Http://s.click.aliexpress.com/e/ckPIQGSy>)

Support us by clicking like button:

[BMW Vin Decoder \(https://www.mdecoder.com\)](https://www.mdecoder.com)